PRESS RELEASE

No. 309 - Bochum, 20.11.2013

Bio-based solar cell

RUB researchers generate electricity rather than biomass with photosynthetic proteins Efficient integration of photosystems 1 and 2 into photovoltaic cell

Researchers at the Ruhr-Universität Bochum (RUB) have developed a bio-based solar cell. They embedded the two proteins photosystem 1 and 2, which in plants are responsible of photosynthesis, into complex molecules developed in-house, thus creating an efficient electron current. Headed by Prof Dr Wolfgang Schuhmann from the Department of Analytical Chemistry and Center for Electrochemical Sciences (CES) and Prof Dr Matthias Rögner from the Department of Plant Biochemistry, the team has published a report in the journal "Angewandte Chemie".

Isolating and embedding photosystems

In leaves, the photosystems 1 and 2 utilise light energy very efficiently; this is required for converting carbon dioxide into oxygen and biomass. The Bochum researchers' bio-based solar cell, on the other hand, generates electricity rather than biomass. Prof Rögner's team isolated the two photosystems from thermophilic cyanobacteria that live in a hot spring in Japan. Because of their habitat and behaviour, their photosystems are much more stable than comparable proteins of species that do not occur under extreme environmental conditions. Prof Schuhmann's team developed complex electron-conducting materials, so-called redox hydrogels. The researchers embedded the photosystems into these hydrogels in order to connect them to the electrodes of the photovoltaic cells.

Structure of the bio-based solar cell

The cell is made up of two chambers. In the first chamber, the protein photosystem 2 extracts electrons from water molecules, thus generating oxygen. The electrons migrate through the redox hydrogel to the electrode in the first chamber which is connected to the electrode in the second chamber. The electrode in the second chamber conducts the electrons via a different redox hydrogel onto photosystem 1. There, electrons are passed to oxygen; water is generated. However, the photosystems carry out these processes only if they are powered by light energy. Thus, if exposed to light, there is a continuous electricity flow within the closed system.

Efficiency may be increased

In order to convert solar into electric energy, there must be a potential difference between the two electrodes. The Bochum researchers have established this difference by deploying redox hydrogels with different potentials. The potential difference determines the bio photovoltaic cell's voltage and, consequently, its efficiency. Currently, the bio-based solar cell boasts an efficiency of several nanowatts per square centimetre. "The system may be considered a blue print for the development of semi-artificial and natural cell systems in which photosynthesis is used for the light-driven production of secondary energy carriers such as hydrogen," says Prof Rögner.

Project funding

The project was funded by the German Research Foundation (Deutsche Forschungsgemeinschaft) as part of the Cluster of Excellence RESOLV (EXC 1069) and by the EU as part of the programmes "CyanoFactory" and "COST Action TD1102 Phototech".

Bibliographic record

T. Kothe, N. Plumeré, A. Badura, M.M. Nowaczyk, D.A. Guschin, M. Rögner, W. Schuhmann (2013): Combination of A Photosystem 1-Based Photocathode and a Photosystem 2-Based Photoanode to a Z-Scheme Mimic for Biophotovoltaic Applications, Angewandte Chemie International Edition, DOI: 10.1002/anie.201303671

Editorial journalist

Dr. Julia Weiler Press Office Ruhr University Bochum

FURTHER INFORMATION

Prof Dr Wolfgang Schuhmann, Department of Analytical Chemistry – Electroanalytic & Sensors, Faculty of Chemistry and Biochemistry at the Ruhr-Universität, 44780 Bochum, Germany, phone +49/234/32-26200 wolfgang.schuhmann@rub.de

Prof Dr Matthias Rögner, Department of Plant Biochemistry, Faculty of Biology and Biochemistry at the Ruhr-Universität, 44780 Bochum, Germany, phone +49/234/32-23634 <u>Matthias.Roegner@rub.de</u>

Last update: 21.11.2013 | Impress | Responsible: content & tech | Print